

DOORHAN[®]


pete بياتي




PRO AUTOMATION SYSTEMS

www.peteksa.com

Professional Equipment (PETE), PO Box 3448, Iskan-1, Near Water Tank,
Al Difa Area, Riyadh - 14424, Kingdom of Saudi Arabia,
Telefax : 966 11 4989214, Mob : 966 54 5603773, Email : info@peteksa.com





INTRODUCTION

The success of all manufacturing companies is determined by the ability to develop new products for an existing market, that best suite client needs.

Exploiting the strength of relationship with our clients and using our experience, we created an exclusive line of automation systems “PRO Series”.

PRO Series is an intelligent development of DoorHan automation line, designed for the most demanding consumers. Operators PRO have adaptive programming, are energy-saving, have an exclusive design and meet the high-quality requirements of all component parts. The PRO Series includes operators for residential and industrial sectional doors, operators for swing gates, as well as barriers and remote controls.

Automation systems PRO, ensure a flawless work and enhanced functionality. Products are manufactured using the latest technologies and materials. All components are tested and certified, which provides 100% quality control of the products.

We are confident that premium series PRO will become another symbol of DoorHan success!

SE-500/750 PRO

FOR RESIDENTIAL SECTIONAL DOORS



HIGH QUALITY EXECUTION

The operators feature a robust body, galvanized motor and built-in encoder which ensures an increased functionality

ENERGY SAVING

Minimum energy consumption, due to the built-in LED lamp, which is more durable and provides a longer service life

LONG SERVICE LIFE

Smooth start and stop feature, ensures a minimum load on system components

ADAPTIVE SETTING

Automatically adjusts force considering door leaf dimensions and weight

SHAFT-50 PRO

FOR INDUSTRIAL SECTIONAL DOORS



SMOOTH START AND STOP

A quiet and a soft door motion ensures efficiency over the long run

WIDE ACCESSORY RANGE

The possibility to connect various accessories makes the operation more convenient and secure

REMOTE CONTROL UNIT

Enables to control remotely the operator

EMERGENCY RELEASE

Built-in emergency chain release ensures the ability to operate the door in case of power failure

ARM-320 PRO

FOR SWING GATES



ERGONOMIC AND COMPACT DESIGN

An ergonomic body is provided to allow installation directly on the hinged gate column

ADVANCED MATERIALS

High electrical insulation properties provide protection against negative weather impact

STEEL LEVER


Designed to be resistant to abrasion and to ensure high efficiency during heavy operating loads

TWO COLOURS AVAILABLE

Helps you to choose the operator that best suits your gate design

BARRIER-PRO

BARRIER



GALVANIZED STEEL BODY

Protects barrier mechanism against mechanical damages, as well as from harsh weather conditions

NEW SPRING TENSIONER

Provides a more accurate boom balance

NEW LED LAMP

Built-in LED lamp represents a functional addition as well as a modern element

ELECTRIC LIMIT SWITCHES

Ensure the boom stop precision in the extreme positions

TRANSMITTER-2 PRO

TRANSMITTER



DYNAMIC CODE TECHNOLOGY

Protects reliably against signal interception

COMPACT CASE

Ergonomic made of high quality materials case is comfortable and practical in use

MODERN DESIGN

High technology in an elegant case

IMPROVED POWER SUPPLY SYSTEM

Extended battery life

SWING-3000/5000 PRO

FOR SWING GATES



EASE OF INSTALLATION

The opener can be installed even at narrow columns

HIGH TECHNICAL PROPERTIES

Optimal solution for gate with middle and high intensity automation

LIMIT SWITCHES

Allow to avoid external mechanical stops installation on gates

PLANETARY REDUCTION GEAR

Provides high efficiency and minimum opener sizes

SLIDING-1300 PRO

FOR SLIDING GATES



ERGONOMIC DESIGN

The opener does not take up much space and has modern appearance

CONNECTION CONVENIENCE

Opener case designed with maximum ease of installation

MODERN MATERIALS

Increased metal part heat dissipation, high opener plastic parts strength

OIL BATH

The gearmotor immersed in liquid lubricant, it increases the opener intensity and life time